

Homework 3

1. Explore¹ the theory of natural numbers using Prolog. Remember,

- 0 is a natural number,
- if x is a natural number, then so is $s(x)$ (its successor), and
- this is defined in Prolog as a unary predicate `is_nat/1` which is true when its argument is a natural number:

```
is_nat(0).  
is_nat(s(X)):-is_nat(X).
```

With 0 and s , the successor function, one can introduce the sum $+$ of two natural numbers x, y :

$$0 + y = y,$$
$$s(x) + y = s(x + y).$$

In Prolog (where we only have predicates), we introduced the ternary predicate `pluss/3`, which says that the sum of the first two arguments is the third one:

```
pluss(0, Y, Y) :-  
    is_nat(Y).  
pluss(s(X), Y, s(Z)) :-  
    pluss(X, Y, Z).
```

2. Write a predicate that recognizes palindromes².
3. Write a predicate for determining the maximum element from a list of integers.
4. Define the relation `lshift(List1, List2)` so that List2 is List1 "shifted rotationally" by one element to the left. Example:

```
?- lshift([1,2,3,4,5], L1), shift(L1,L2).
```

```
L1=[2,3,4,5,1]  
L2=[3,4,5,1,2];
```

No

5. Define the relation `rshift(List1, List2)` so that List2 is List1 "shifted rotationally" by one element to the right. Example:

```
?- rshift([1,2,3,4,5], L1), shift(L1,L2).
```

```
L1=[5,1,2,3,4]  
L2=[4,5,1,2,3];
```

No

¹Define addition(done by me as an example), multiplication, exponentiation, less, less equal, divides, minus - note that only the binary version makes sense for natural numbers, divides

²A palindrome is a word, phrase, number or other sequence of units that has the property of reading the same in either direction (the adjustment of punctuation and spaces between words is generally permitted). [source:wikipedia.org]

6. Write a program for factorial computation using an accumulator.
7. Write a program `delete_vowels(String, NoVowelsString)` that deletes all vowels from a given string.
8. Write a program `modify_string` that changes a string by transforming all vowels into uppercase, all consonants in lower case letters and all other characters in 0.
9. Write a program `sum_and_squaresum` that from a given list of numbers finds the sum of its elements and the sum of their squares. Use accumulators. Example:

```
?- sum_and_squaresum([1, -3, 2, 0], Sum, SQS).
```

```
Sum = 0
SQS = 14 ;
```

```
No
```

10. Define a binary relation `prefix/2` between lists and all its prefixes. Hint: `[]`, `[a]` and `[a, b]` are prefixes of the list `[a, b]`.
11. Define a binary relation `suffix/2` between lists and all its suffixes. Hint: `[]`, `[b]` and `[a, b]` are suffixes of the list `[a, b]`.
12. Define a binary relation `sublist/2` between lists and their sublists.
13. Implement the insert-sort algorithm for integers in Prolog – informally it can be formulated as follows:
Given a list, remove its first element, sort the rest, and insert the first element in its appropriate place in the sorted list.
14. Implement the selection-sort algorithm for integers in Prolog – informally it can be formulated as follows:
Given a list, find the minimum of the list, swap this minimum with the first position, repeat the steps for the remainder of the list.
15. Implement the quick-sort algorithm for integers in Prolog – informally it can be formulated as follows:
Given a list, split the list into two one part containing elements less than a given element (e.g. the first element in the list) and one part containing elements greater than or equal to this element. Then sort the two lists and append the results.
16. Implement the merge-sort algorithm for integers in Prolog – informally it can be formulated as follows: Given a list, divide the list into two halves. Sort the halves and merge the two sorted lists.
17. Write a predicate `twice_as_long(L1,L2)` that succeeds if the list L2 is twice as long as the list L1. Do NOT compute the lengths of the lists.

18. Write predicate `fib(N,F)` that is true if F is the Nth Fibonacci number³. Compute `fib(5,F)`, `fib(10,F)`, `fib(50,F)`.
19. Implement Extended Euclidean Algorithm⁴ to compute greatest common divisors in integers.
20. Write a predicate `without_doubles_1(Xs, Ys)` that is true if Ys is the list of the elements appearing in Xs without duplication. The elements in Ys are in the same order as in Xs with the last duplicate values being kept.

Sample run:

```
?- without_doubles_1([1,2,3,4,5,6,4,4],X).
   X = [1, 2, 3, 5, 6, 4];

No
```

21. Write a predicate `without_doubles_2(Xs, Ys)` that is true if Ys is the list of the elements appearing in Xs without duplication. The elements in Ys are in the reversed order of Xs with the first duplicate values being kept.

Sample run:

```
?- without_doubles_2([1,2,3,4,5,6,4,4],X).
   X = [6, 5, 4, 3, 2, 1];

No
```

22. Write a ternary predicate `delete_all(Item,List,Result)` that is true if result is obtained from list by deleting all occurrences of item. Sample run:

```
?- delete_all(a,[a,b,c,a,d,a],X).
   X=[b,c,d]
```

```
?- delete_all(a,[b,c,d],X).
   X=[b,c,d]
```

23. Write a ternary predicate `delete_first(Item,List,Result)` that is true if result is obtained from list by deleting the first occurrence of the element. Sample run:

```
?- delete_all(a,[a,b,c,a,d,a],X).
```

```
X=[b,c,a,d,a]
```

```
?- delete_all(a,[b,c,d],X).
```

```
X=[b,c,d]
```

³See http://en.wikipedia.org/wiki/Fibonacci_number

⁴See http://en.wikipedia.org/wiki/Extended_Euclidean_algorithm

24. Write a binary predicate `count_occurrences(Input,Result)` that is true if Result is a list of two-element lists [el, number_of_occurrences_in_input], where 'el' is an element of the list 'input', and 'number_of_occurrences_in_input' is an integer specifying how many times 'el' occurs in 'input'. For each element 'el' in 'input' there should be a corresponding pair [el, number_of_occurrences_in_input] in 'result'. Sample run:

```
?- count_occurrences([a,b,a,a,b,c],X).  
   X = [[c, 1], [b, 2], [a, 3]] ;
```

No

25. Write a ternary predicate `delete_nth` that deletes every N'th element from a list. Sample runs:

```
?- delete_nth([a,b,c,d,e,f],2,L).
```

```
L = [a, c, e] ;
```

No

```
?- delete_nth([a,b,c,d,e,f],1,L).
```

```
L = [] ;
```

No

```
?- delete_nth([a,b,c,d,e,f],0,L).
```

No

```
?- delete_nth([a,b,c,d,e,f],10,L).
```

```
L = [a, b, c, d, e, f] ;
```

No